

From: [Bowman, John](#)
To: [Beeler, Malcolm](#); graham.stevens.ct.gov; [Jennifer Perry](#)
Cc: [Miller, Michael](#); tbremer@fairfieldct.org; [Woodward, Katherine](#); [Chapman, Tamberlyn](#); joseph.schiavone@ct.gov; [Trombly, Gary](#); [Trahan, Amber](#); [Smith, Catherine](#); [Hayes, Sharon](#)
Subject: RE: Notice of Inspection - Fairfield DPW Aggregate Yard at 1 Richard White Way, Fairfield, CT (Wednesday, August 10)
Date: Thursday, August 4, 2022 11:14:10 AM
Attachments: [image001.png](#)

Good morning All,

We are pushing up this inspection to Wednesday, August 10th to resolve schedule conflicts.

I would like to begin the inspection by 11:00 due to our travel time from Boston.

Please contact me if any conditions change.

Thank you,

John B. Bowman, Inspector/Enforcement Officer (*he/him*)
Toxics, Pesticides, and Drinking Water Compliance Section
US EPA Region 1 (New England)
5 Post Office Square, Suite 100
Mail Code (ECAD05-4)
Boston, MA 02109-3912
617-918-1276 (phone)
617-918-0276 (fax)
Bowman.john@epa.gov

From: Beeler, Malcolm <BeelerM@wseinc.com>
Sent: Thursday, August 4, 2022 10:37 AM
To: Bowman, John <Bowman.John@epa.gov>; graham.stevens.ct.gov <graham.stevens@ct.gov>; [Jennifer Perry](mailto:Jennifer.Perry@ct.gov) <Jennifer.Perry@ct.gov>
Cc: Miller, Michael <mmiller@wiggin.com>; tbremer@fairfieldct.org
Subject: Re: Notice of Inspection - Fairfield DPW Aggregate Yard at 1 Richard White Way, Fairfield, CT (Thursday, August 11)
I received an email from CTDEEP saying that 8/10 would work. That would also work for the Town. Get [Outlook for iOS](#)

From: Bowman, John <Bowman.John@epa.gov>
Sent: Thursday, August 4, 2022 10:35:11 AM
To: Beeler, Malcolm <BeelerM@wseinc.com>; graham.stevens.ct.gov <graham.stevens@ct.gov>; [Jennifer Perry](mailto:Jennifer.Perry@ct.gov) <Jennifer.Perry@ct.gov>
Cc: Miller, Michael <mmiller@wiggin.com>; tbremer@fairfieldct.org <tbremer@fairfieldct.org>
Subject: RE: Notice of Inspection - Fairfield DPW Aggregate Yard at 1 Richard White Way, Fairfield, CT (Thursday, August 11)
Good morning Mr. Beeler,
Thank you for the call yesterday. I am working with my colleagues to suggest another date for the inspection.
I will advise soon.
Thank you,
John B. Bowman, Inspector/Enforcement Officer (*he/him*)
Toxics, Pesticides, and Drinking Water Compliance Section

US EPA Region 1 (New England)
5 Post Office Square, Suite 100
Mail Code (ECAD05-4)
Boston, MA 02109-3912
617-918-1276 (phone)
617-918-0276 (fax)
Bowman.john@epa.gov

From: Beeler, Malcolm <BeelerM@wseinc.com>

Sent: Wednesday, August 3, 2022 4:19 PM

To: Bowman, John <Bowman.John@epa.gov>; graham.stevens.ct.gov <graham.stevens@ct.gov>; Jennifer Perry <Jennifer.Perry@ct.gov>

Cc: Miller, Michael <mmiller@wiggin.com>; tbremer@fairfieldct.org

Subject: Notice of Inspection - Fairfield DPW Aggregate Yard at 1 Richard White Way, Fairfield, CT (Thursday, August 11)

Mr. Bowman, we spoke earlier today, and this is the email that I promised to send. My contact information is in the electronic signature below.

I am responding on behalf of the Town of Fairfield. We have requested CT DEEP Bureau Chief involvement, including this Site Inspection, because we feel it is necessary for the process to proceed efficiently and effectively. I have copied Graham Stevens (Bureau Chief Water Protection & Land Reuse) and Jennifer Perry (Bureau Chief Materials Management and Compliance Assurance) on this email.

We have already inquired with Mr. Stevens and Ms. Perry about the August 11th date, but they have other obligations that day that will not allow them to attend. The Town is eager to have this Site Inspection as early as possible but hopes that a date can be identified that will meet the schedules of all those copied on this email.

Please let us know if there is anything that we can do to facilitate this effort.

Thanks.

Malcolm Beeler, LEP

SENIOR TECHNICAL LEADER

direct: 860-986-7929

mobile: 860-707-5965



Weston & Sampson ([We've Moved!](#))

712 Brook Street, Suite 103

Rocky Hill, CT 06067

tel: 860-513-1473

westonandsampson.com

[Facebook](#) | [Twitter](#) | [LinkedIn](#)

Good morning Mr. Bremer,

My name is John Bowman and I am an U.S. EPA Region 1 TSCA PCB Inspector and I am giving notice under the authority of TSCA Section 11 (15 U.S.C. 2610) to inspect the Fairfield DPW Aggregate Yard at 1 Richard White Way, Fairfield, CT on Thursday, August 11th. I would like to coordinate this inspection with the Town of Fairfield and appropriate Weston & Sampson LEP's who can answer questions to the sampling efforts and are familiar with the Risk-Based Cleanup proposal for the Aggregate Yard. Along with representatives from the Town of Fairfield, I am also inviting CTDEEP and U.S. EPA Region 1 PCB Program Officer, Kate Woodward to attend the inspection.

Please let me know of any scheduling conflicts with this inspection and any site safety requirements.
I will be bringing level D PPE unless otherwise requested.
Feel free to forward this notice to any other applicable personnel for this investigation.
Thank you,

John B. Bowman, Inspector/Enforcement Officer *(he/him)*
Toxics, Pesticides, and Drinking Water Compliance Section
US EPA Region 1 (New England)
5 Post Office Square, Suite 100
Mail Code (ECAD05-4)
Boston, MA 02109-3912
617-918-1276 (phone)
617-918-0276 (fax)
Bowman.john@epa.gov

This electronic mail (including any attachments) may contain information that is privileged, confidential, and/or otherwise protected under applicable law from disclosure to anyone other than its intended recipient(s). Any dissemination or use of this electronic mail or its contents (including any attachments) by persons other than the intended recipient(s) is strictly prohibited. If you have received this message in error, please notify the sender or **Wiggin and Dana LLP** at 203-498-4400 immediately and then delete the original message (including any attachments) in its entirety. We take steps to protect against viruses and other malicious code but advise you to carry out your own checks and precautions as we accept no liability for any which remain. We may monitor electronic mail sent to and from our server(s) to ensure regulatory compliance to protect our clients and business.

Disclosure under U.S. IRS Circular 230: **Wiggin and Dana LLP** informs you that any tax advice contained in this communication (including any attachments) was not intended or written to be used, and cannot be used, for the purpose of avoiding federal tax related penalties or promoting, marketing or recommending to another party any transaction or matter addressed herein.

The contents of this e-mail and any attachments are the property of the Weston & Sampson companies. The e-mail contents are only to be used by the intended recipient of the e-mail. If you are not the intended recipient, then use, disclosure, copying, distribution or reliance on the e-mail is prohibited. All professional advice from us should be obtained in writing (not e-mail).
The contents of this e-mail and any attachments are the property of the Weston & Sampson companies. The e-mail contents are only to be used by the intended recipient of the e-mail. If you are not the intended recipient, then use, disclosure, copying, distribution or reliance on the e-mail is prohibited. All professional advice from us should be obtained in writing (not e-mail).